

Elliptic Reusable Bimanual I/A System



Product Features

- Titanium lightweight, colour-coded Handpieces
- Standard male/female Luer connector
- Compatible with Phaco or I/A System
- Smooth bullet shaped tip
- Smooth abrasive (rough) tip available for capsule polishing
- Swiss Design / Swiss Made

- Based on 21G, elliptic cannula system
- major axis outer diameter 0.94 mm, inner diameter 0.74 mm
 - minor axis outer diameter 0.62 mm, inner diameter 0.42 mm

Irrigation

BIO 128/T elliptic 21G

1 Irrigation Handpiece with curved cannula
Proximal TWIN-PORT® with diameter of 0.55 mm per port



Aspiration

BAO 110/T elliptic 21G

Aspiration Handle, elliptical cannula 21G (0.80mm),
Smooth abrasive (rough) tip, Asp. port 0.30mm



Important User information

The BIO 128 and BAO 110 system of Bürki is an elliptic I-/A-system. The higher impermeability due to the elliptic canula forms in the paracentesis leads to substantial less efflux. In consequence the inner eye pressure can increase substantially.

To prevent any damage to the eye, a reduced height of the irrigation liquid bottle is strongly recommended and the pressure conditions must stay in the permanent focus of observation and, if necessary, adjustment. Nevertheless it's important to prevent any collapse of the eye.

The expected lifetime of our reusable medical devices is validated by a defined number of processing cycles. Please refer to the information provided in the instructions for use.

Version 11/2024